



### SRP - PAR18 Small Style Emergency Remote

The **SRP** series of remotes are constructed of high impact thermoplastic and feature an innovative rotary locking collar design that securely locks the lens and reflector assembly into place. The locking collar allows maintenance personnel to quickly and easily complete relamping. A mechanically adjustable swivel locks the head in position once adjusted. The matching canopy fits nearly all standard electrical junction boxes. The **SRP** series is supplied standard in a white color, black color is optional.

LAMP SELECTION: See page 127 for complete lamp selection.  
 NOTE: Sealed beam lamp type available only in LRP (Par36) style.

#### ORDERING INFORMATION

Series	Head #	Voltage/Wattage	Options
SRP	1 (single head)	See Lamp Selection Guide	LC (less canopy)
	2 (double head)		B (black housing)
	3 (triple head)		

#### SRP BUILDER

Series	Head #	Voltage/Wattage	Options



### LRP - PAR36 Large Style Emergency Remote

The **LRP** series of remotes are constructed of high impact thermoplastic and feature an innovative rotary locking collar design that securely locks the lens and reflector assembly into place. The locking collar allows maintenance personnel to quickly and easily complete relamping. A mechanically adjustable swivel locks the head in position once adjusted. The matching canopy fits nearly all standard electrical junction boxes. The **LRP** is supplied standard in a white color, black color is optional.

LAMP SELECTION: See page 127 for complete lamp selection  
 NOTE: Sealed beam lamp type available only in LRP (Par36) style.

#### ORDERING INFORMATION

Series	Head #	Voltage/Wattage	Options
LRP	1 (single head)	See Lamp Selection Guide	LC (less canopy)
	2 (double head)		B (black housing)
	3 (triple head)		WP (weather proof)
			TC (teflon coated lens)

#### SRP BUILDER

Series	Head #	Voltage/Wattage	Options



**BLT - MR16 Emergency Remote**

The **BLT** series of emergency remote offers a contemporary design with a look that is not only architecturally pleasing, but also suits today's retro industrial designs. The **BLT** uses MR16 technology that is designed for premium light output. The **BLT** series is constructed of high grade steel with an attractive white, durable, powder coat finish as standard, and is available in single or double head configurations. Other colors are available, including color matching, please specify. The **BLT** is fully adjustable and the matching custom canopy fits nearly all standard electrical junction boxes.

**ORDERING INFORMATION**

Series	Head #	Voltage/Wattage	Options
BLT	1 (single head)	See Lamp Selection Guide	LC (less canopy)
	2 (double head)		CC (custom color)

**BLT BUILDER**

Series	Head #	Voltage/Wattage	Options



**SRA - PAR36 Aluminum Emergency Remote**

The **SRA** series of spun aluminum remotes are supplied standard in an attractive brushed aluminum finish with a black thermoplastic canopy. Custom colors available, please specify. The **SRA** series is ideal for industrial environments and installations where the fixture will be exposed to constant excessive temperatures or UV exposure.

LAMP SELECTION: (No sealed beam - only in LR PAR36 style heads) See page 127.

**ORDERING INFORMATION**

Series	Head #	Voltage/Wattage	Options
SRA	1 (single head)	See Lamp Selection Guide	LC (less canopy)
	2 (double head)		CC (custom color)
	3 (triple head)		TC (teflon coated lens)

**SRA BUILDER**

Series	Head #	Voltage/Wattage	Options



See lamp chart for more options.

### NFR - Weather Proof Emergency Remote

The **NFR** series of NEMA 4X weather proof remotes are constructed of durable polycarbonate and designed to perform in harsh environments. The **NFR** series is fully gasketed and designed with several surface conduit knockout points.

LAMP SELECTION: See page 127

#### ORDERING INFORMATION

Series	Head #	Voltage/Wattage
NFR	1 (single head)	See Lamp Selection Guide
	2 (double head)	

#### NFR BUILDER

Series	Head #	Voltage/Wattage



See lamp chart for more options.

### SRV Vandal Resistant Emergency Remote

The **SRV** series of remotes are constructed of high impact lexan that fully encloses and protects the lamp and reflector assembly from tampering or damage. The **SRV** series of remotes are ideally suited for high abuse areas.

LAMP SELECTION: See page 127 for complete lamp selection.

#### ORDERING INFORMATION

Series	Head #	Voltage/Wattage
SRV	1 (single head)	See Lamp Selection Guide
	2 (double head)	

#### SRV BUILDER

Series	Head #	Voltage/Wattage



**SRE - PAR36 Recessed Emergency Remote**

The **SRE** series of remotes are designed to be recess mounted into ceilings; providing a clean, unobtrusive lighting solution. A surface mounted version, complete with a steel mounting box is also available. The gimbal mounting allows the lamp aiming to be adjusted in any direction. The **SRE** is supplied standard in a white finish. Custom color finishes are available, please specify.

**ORDERING INFORMATION**

Series	Mount	Voltage/Wattage	Options
SRE	R (recessed)	See Lamp Selection Guide	CC (custom color)
	S (surface)		TC (teflon coated lens)

**SRA BUILDER**

Series	Head #	Voltage/Wattage	Options



**RMR - MR16 Recessed Emergency Remote**

The **RMR** series of remotes feature MR16 lamp technology that are designed for superior light output. The compact, recessed design has a modern look that blends perfectly in today's retail and commercial environments. The steel gimbal lamp mounting assembly and trim plate makes lamp positioning quick and easy. The **RMR** is supplied standard in white finish.

LAMP SELECTION:

6 VOLT	12 VOLT	24 VOLT	MR16:
5, 6, 10 W	10, 12, 20, 35, 50, 70, W20, 50W	LED	3, 5 W

**ORDERING INFORMATION**

Series	Voltage/Wattage
RMR	See Lamp Selection Guide

**RMR BUILDER**

Series	Voltage/Wattage